广州市创笙演出器材有限公司

GUANGZHOU DRAGON PERFORMANCE EQUIPMENT CO.,LTD

工厂地址：广东省佛山市里水镇夏西工业区横三路3号
Factory Add：No 3，Hengsan Road，Xiaxi Industrial Area，
Lishui Town，Foshan，Guangdong
办公地址：广东省广州市白云区齐富路水次方云城大厦 B 栋 411 室
Office Add：Room 411，Building B，Shuicifang Yuncheng Building，
Qifu Road，Baiyun District，Guangzhou，Guangdong，China
Tel：+86 20 36461329　36461197　　Fax：+86 20 36461212
Mob/whatsApp：+86 13631328997
Email：sales@dragontruss.com
Http：//www. dragontruss.com.cn

微信公众号
Official accounts

DRAGON

广州市创笙演出器材有限公司

GUANGZHOU DRAGON PERFORMANCE EQUIPMENT CO., LTD

关于我们 About Us



Built in 2008, professonal manufacturer

专业生产厂家，成立于2008年


Professional sellers
(the quick-reply within 12 hours)

专业销售服务，快速回复


Well Designed within 24hours
(Pro-E/CAD/3D-Max)


优秀产品设计(PRO-E/CAD/3D-MAX)


Branded aluminium material

品牌铝材原料保障


Professonal welder team
(above 5 years welding experience)

熟练焊工团队，5年以上行业经验


Diversified sample room

多样化展厅



lightning delivery

闪电发货

生产流程 Production Process


开料Cutting


检查 Checking


冲管Punching


铣床Holening


焊接Welding


成品 Final product


测试 Testing


包装 Packing

展会 Exhibition









证书 Certificate


























If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM SCAFFOLDING
铝合金脚手架

















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

- Aluminum scaffolding conforms to European standard HD1004
- It is convenient to carry tools and carry materials up and down, especially the inclined ladder frame, which greatly increases the working space and reduces the construction time;
- Easy to disassemble and assemble, and it is light and durable because it is aluminium alloy material;
- In addition to single-set construction, it can be combined into various styles, suitable for different venues, such as escalators, stairs, construction sites, etc.
- Various design components to meet different application needs;
- Platform can be placed at different heights
- Guardrails and skirting boards ensure safety.

- 铝合金脚手架符合欧洲标准HD1004；
- 方便携带工具及搬运物料上落，尤其斜爬梯框架，大大增加工作空间，减少搭建时间；
- 拆装方便快捷，本身铝合金材质轻身及坚固耐用；
- 除可单套搭建，还可组合成各种款式，适用于不同场地，如扶手电梯，楼梯，工地等；
- 各种配套部件，以满足不同的工程需求；
- 平台板可放置在不同高度位置；
- 设计有护栏及踢脚板，确保安全实用。

SDB-2
Single Width Climb Ladder Scaffolding
单宽直爬梯脚手架

DIMENSION 尺寸			
Single Width 单宽	75x200cm (2.5x6.6ft)	75x250cm (2.5x8.2ft)	75x300cm (2.5x9.8ft)
Height 高度	From 2m to 40m(6.6x131.2ft)		
Platform Load(KG) 平台板承重	272kg(599.7lbs)		
Entire Load(KG) 整体承重	900kg(1984.2lbs)		
Material 材质	Aluminum 6082 铝合金6082		







SDB-4
Foldable Scaffolding
折叠脚手架

SDB–4A 6rungs(H:1.68m/5.5ft)
SDB–4B 7rungs(H:1.96m/6.4ft)
SDB–4C 8rungs(H:2.24m/7.3ft)


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM SCAFFOLDING
铝合金脚手架



SDB-1
Double Width Climb Ladder Scaffolding
双宽直爬梯脚手架

DIMENSION 尺寸			
Double Width 双宽	135x200cm (4.4x6.6ft)	135x250cm (4.4x8.2ft)	135x300cm (4.4x9.8ft)
Height 高度	From 2m to 40m(6.6x131.2ft)		
Platform Load(KG) 平台板承重	272kg(599.7lbs)		
Entire Load(KG) 整体承重	900kg(1984.2lbs)		
Material 材质	Aluminum 6082 铝合金6082		




SDB-5
Double Width 75° Hang Step-Stair Scaffolding
双宽铝合金挂梯脚手架

SDB-3
Double Width Step-Stair Scaffolding
双宽铝合金走梯脚手架



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



Diagonal Bar
斜拉杆
SD1-2m(6.6ft)
SD1-2.5m(8.2ft)
SD1-3m(9.8ft)

Horizontal Bar
横拉杆
SD2-2m(6.6ft)
SD2-2.5m(8.2ft)
SD2-3m(9.8ft)



Caster and Adjustable Leg
脚轮和可调节脚



Platform
平台板
SD6-2m(6.6ft)
SD6-2.5m(8.2ft)
SD6-3m(9.8ft)

Trop Door Platform
开口平台板
SD7-2m(6.6ft)
SD7-2.5m(8.2ft)
SD7-3m(9.8ft)

SD5
75°Hang Step Stair
75° 挂梯



45°Diagonal Step Stair
45°走梯
SD4-3
SD4-4
SD4-5




45°Diagonal Step Stair with board
带板式45°走梯
SD12-3
SD12-4
SD12-5






Toe Board
踢脚板
SD8-0.75/2m
SD8-0.75/2.5m
SD8-0.75/3m
SD8-1.35/2m
SD8-1.35/2.5m
SD8-1.35/3m



Guardrail
护栏
SD9-0.75m(2.5ft)
SD9-1.35m(4.4ft)

Clip SD13




Long Outrigger
外斜撑
SD10-3m(9.8ft)
SD10-5m(16.4ft)





SD11
The Connecting Rod
主副连接杆





Scaffolds Dolly
脚手架推车
















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ALUMINUM SCAFFOLDING PARTS
脚手架配件



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！













If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM TRUSS
铝合金桁架

















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



CS-01



CS-02




CS-03




CS-04

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



CS-05




CXM-01


CXM-02




CXM-03

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！





CXM-04




CXM-05









CXM-06



CXM-07




CXM-08




CXM-09








CXM-10




CXM-11


ALUMINUM TRUSS
铝合金桁架




CY-01




CY-02




CY-03



CY-04




CYX-01




CYX-02

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


LADDER TRIANG ULAR
展览展示架




CYX-03




CYX-04




CG-01



CG-02




CZL-01



CZL-02

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


C-SERIES TRUSS
异形架




CT30/BT30-N




CT30/BT30-D




CT30/BT30-M



CT30/BT30-D



TP3-5



TP3-6



TP3-7



TP3-8



TP3-9











If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

GOAL POST
龙门架




CLM-01




CLM-02








CLM-03




CLM-04


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！




CAZ-01



CAZ-02



CAZ-03




CAZ-04






If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！




CLM-05




CYX-05


CS104

截面 Section:Square1040x590mm 主管 Main tube: ∅50x4.0mm 副管 Braces: ∅50x3.0mm				斜管 Inelined tube: ∅50x2.0mm 长度 Length:1/2/2.5/3/4m 材质 Material:Aluminum 6082–T6				
跨度 Span (m)	14m	16m	20m	24m	28m	30m	32m	36m
(kg/m)	267	213	172	128	97	78	58	37
(mm)	51	68	92	137	186	219	281	364
(kg)	2150	1950	1500	1150	920	830	680	510
(mm)	41	49	73	106	133	162	235	273










BS20A

截面 Section:Square200x200mm 主管 Main tube:25x25x2.0mm 副管 Braces:25x25x2.0mm				斜管 Inelined tube: 10x2.0mm 长度 Length:0.5/1/2/2.5m 材质 Material: Aluminum6061–T6		
跨度 Span (m)	2m	3m	4m	5m	6m	8m
(kg/m)	171	90	53	28	19	11
(mm)	7	15	26	35	42	75
(kg)	235	105	71	38	31	23
(mm)	25	43	56	68	79	93

BS30A


截面 Section:Square300x300mm 主管 Main tube: ∅50x3.0mm 副管 Braces: ∅50x2.0mm			斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/2.5m 材质 Material: Aluminum6061–T6				
跨度 Span (m)	2m	3m	4m	5m	6m	8m	10m
(kg/m)	1200	700	450	200	135	70	40
(mm)	6	13	26	44	63	97	136
(kg)	1750	1400	1100	650	400	200	100
(mm)	10	17	36	53	80	102	133






If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM TRUSS
铝合金桁架






BL30



截面 Section:Ladder300x50mm 主管 Main tube: 50x3.0mm 副管 Braces: 30x2.0mm			斜管 Inelined tube: 20x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material:Aluminum 6061–T6			
跨度 Span(m)	1m	2m	2m	4m	5m	6m
(kg/m)	992.2	399	171	88	50	26
(mm)	0	1	2	3	3	3
(kg)	992.2	280	94.66	37	16.8	7.33
(mm)	0	1	2	2	2	2





CL30

截面 Section:Ladder289x50mm 主管 Main tube: 50x3.0mm 副管 Braces: 30x2.0mm			斜管 Inelined tube: 20x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material:Aluminum 6082–T6			
跨度 Span(m)	1m	2m	2m	4m	5m	6m
(kg/m)	1010	452	223	135	80	56
(mm)	2	4	4	6	6	7
(kg)	1007	690	368	185	125	68
(mm)	2	6	8	10	12	12

BT30

截面 Section:Triangular300x300mm 主管 Main tube: 50x3.0mm 副管 Braces: 30x2.0mm			斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material:Aluminum 6061–T6			
跨度 Span(m)	4m	5m	6m	8m	10m	12m
(kg/m)	460	200	120	70	48	25
(mm)	5	12	30	76	112	148
(kg)	1200	800	500	400	300	200
(mm)	5	20	28	48	62	93










CT30


截面 Section:Triangular289x289mm 主管 Main tube: 50x3.0mm 副管 Braces: 25x2.0mm			斜管 Inelined tube: 20x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material:Aluminum 6082–T6			
跨度 Span(m)	4m	5m	6m	8m	10m	12m
(kg/m)	460	200	120	70	48	25
(mm)	5	12	30	76	112	148
(kg)	1200	800	500	400	300	200
(mm)	5	20	28	48	62	93








BS20



截面 Section:Square200x200mm 主管 Main tube: 30x2.0mm 副管 Braces: 20x2.0mm			斜管 Inelined tube: 12x2.0mm 长度 Length:0.5/1/2/2.5m 材质 Material:Aluminum 6061–T6			
跨度 Span(m)	2m	3m	4m	5m	6m	8m
(kg/m)	165	85	48	20	15	10
(mm)	6	14	22	37	40	75
(kg)	240	100	70	40	30	25
(mm)	10	17	36	55	82	100

CS20




截面 Section:Square200x200mm 主管 Main tube: 30x2.0mm 副管 Braces: 20x2.0mm			斜管 Inelined tube: 12x2.0mm 长度 Length:0.5/1/2/2.5m 材质 Material:Aluminum 6082–T6			
跨度 Span(m)	2m	3m	4m	5m	6m	8m
(kg/m)	180	96	55	32	23	15
(mm)	4	12	21	37	44	90
(kg)	300	200	180	120	50	40
(mm)	5	20	55	57	85	126

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


CONICAL COUPLER TRUSS
插销式铝架






CS10

截面 Section:Square100x100mm 主管 Main tube:20x2.0mm 副管 Braces:80x80x5.0mm			斜管 Inelined tube: 6mm 长度 Length:0.5/1/1/1.5m 材质 Material: Aluminum 6082–T6			
跨度 Span(m)	1.5m	/	/	/	/	/
(kg/m)	20	/	/	/	/	/
(mm)	2	/	/	/	/	/
(kg)	150	/	/	/	/	/
(mm)	3	/	/	/	/	/







CS30

截面 Section:Square289x289mm 主管 Main tube:50x3.0mm 副管 Braces:25x2.0mm					斜管 Inelined tube: 20x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6		
跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m
(kg/m)	520	280	200	120	84	55	35
(mm)	5	12	33	76	112	148	171
(kg)	1800	1000	700	550	450	360	250
(mm)	8	20	33	57	62	93	126

CS35


截面 Section:Square350x350mm 主管 Main tube:50x3.0mm 副管 Braces:25x2.0mm					斜管 Inelined tube: 20x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6		
跨度 Span(m)	4m	5m	6m	8m	10m	14m	16m
(kg/m)	530	300	200	135	94	45	30
(mm)	6	14	35	80	116	175	210
(kg)	2000	1200	800	600	550	300	250
(mm)	10	25	35	62	72	130	180







CS40


截面 Section:Square389x389mm 主管 Main tube:50x3.0mm 副管 Braces:30x2.0mm					斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6			
跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	580	310	200	145	107	60	46	35
(mm)	20	30	54	80	102	151	170	192
(kg)	1800	1150	760	650	510	440	350	340
(mm)	5	33	57	80	110	126	163	208








CS52




截面 Section:Square520x520mm 主管 Main tube:50x3.0mm 副管 Braces:50x2.0mm						斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6				
跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m
(kg/m)	700	420	276	180	130	90	63	50	26
(mm)	4	16	20	30	54	80	102	151	170
(kg)	2300	1510	1200	900	750	620	550	500	350
(mm)	15	28	42	85	104	138	162	205	260

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CONICAL COUPLER TRUSS
插销式铝架







CS4060

截面 Section:Square400x600mm
主管 Main tube:50x3.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082–T6

跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m
(kg/m)	700	430	270	187	130	92	68	50	30
(mm)	5	12	33	54	80	102	151	170	203
(kg)	2350	1580	1300	1150	850	670	565	500	400
(mm)	11	23	41	65	79	103	138	172	215





CS5060


截面 Section:Square500x600mm
主管 Main tube:50x3.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082–T6


跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m	22m
(kg/m)	800	450	179	125	108	85	58	42	35	23
(mm)	5	17	25	42	85	104	138	162	205	260
(kg)	2480	1640	1420	1230	1000	880	655	600	500	400
(mm)	8	15	32	47	89	140	153	168	200	267

CS5276

截面 Section:Square520x760mm
主管 Main tube:50x4.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 30x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082–T6

跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m	22m	24m
(kg/m)	870	460	280	185	132	95	68	55	42	42	25
(mm)	17	28	41	66	95	133	166	200	230	230	350
(kg)	2860	1850	1567	1285	1122	1054	880	700	550	550	360
(mm)	23	41	65	79	93	118	132	165	177	177	280







CS6076


截面 Section:Square600x760mm
主管 Main tube:50x4.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082–T6

跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m	22m	24m
(kg/m)	920	490	295	199	146	118	74	65	60	40	30
(mm)	14	30	42	67	92	138	167	202	235	290	350
(kg)	3000	1850	1567	1365	1228	1060	883	708	555	900	370
(mm)	25	43	62	68	93	115	135	154	174	216	275










CS68101


截面 Section:Square670x1010mm
主管 Main tube:50x5.0mm
副管 Braces:50x3.0mm
斜管 Inelined tube: 30x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082–T6

跨度 Span(m)	12m	14m	16m	18m	20m	22m	24m	26m	28m	30m	32m	36m	40m
(kg/m)	368	288	250	199	199	199	199	102	78	67	67	40	30
(mm)	20	35	65	85	85	85	126	147	180	208	208	292	362
(kg)	2800	2436	2010	1500	1500	1400	1211	1056	900	800	800	500	320
(mm)	15	23	48	64	64	76	116	133	160	157	157	280	238

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ENDPLATE TRUSS
螺丝式铝架







BS 30

截面 Section:Square300x300mm
主管 Main tube:50x3.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6061–T6

跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m
(kg/m)	1200	700	450	200	135	70	40
(mm)	6	13	26	44	63	97	136
(kg)	1750	1400	1100	650	400	200	100
(mm)	10	17	36	53	80	102	133





BS 35


截面 Section:Square350x350mm
主管 Main tube:50x3.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6061–T6

跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m
(kg/m)	1400	800	480	230	145	80	50	28
(mm)	6	13	22	41	65	98	136	141
(kg)	1800	1600	1200	750	450	300	200	100
(mm)	10	14	40	61	80	95	117	155

BS3040

截面 Section:Square300x400mm
主管 Main tube:50x3.0mm
副管 Braces:30x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6061–T6


跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m
(kg/m)	1500	860	500	280	150	80	50	28
(mm)	6	13	22	41	65	98	136	151
(kg)	1800	1600	1200	750	450	300	200	100
(mm)	11	18	34	58	83	90	115	129





BS 40


截面 Section:Square400x400mm
主管 Main tube:50x3.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6061–T6

跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m	14m	16m
(kg/m)	1800	1080	625	370	230	130	70	50	37	20
(mm)	6	18	22	41	70	98	131	180	180	570
(kg)	3000	2000	1400	900	800	600	450	300	300	130
(mm)	10	17	36	55	70	100	93	133	133	153










BS 45


截面 Section:Square450X450mm
主管 Main tube: 50X3.0mm
副管 Braces: 50X2.0mm
斜管 Inclined tube: 25X2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material:6061-T6

跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	2000	1200	750	440	300	188	120	83	57	37	23
(mm)	2	4	9	22	30	61	90	135	141	177	200
(kg)	3200	2400	2000	1400	900	700	600	500	400	300	200
(mm)	4	8	15	33	46	85	122	158	203	213	236

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ENDPLATE TRUSS
螺丝式铝架







BS 50

截面 Section:Square500x500mm	斜管 Inelined tube: 25x2.0mm
主管 Main tube:50x3.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	800	520	400	250	150	80	62	35	20
(mm)	7	15	30	61	95	130	177	220	267
(kg)	2600	1800	1600	1200	800	600	400	200	160
(mm)	11	22	43	80	95	155	193	233	288





BS 4050


截面 Section:Square400x500mm	斜管 Inelined tube: 25x2.0mm
主管 Main tube:50x3.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6


跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	800	520	400	250	150	80	62	35	20
(mm)	7	15	30	61	95	130	177	220	267
(kg)	2600	1800	1600	1200	800	600	400	200	160
(mm)	11	22	43	80	95	155	193	233	288

BS 5060

截面 Section:Square500x600mm	斜管 Inelined tube: 25x2.0mm
主管 Main tube:50x3.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m	20m
(kg/m)	1000	610	500	350	190	133	96	65	50	30
(mm)	6	14	37	62	84	100	128	155	194	244
(kg)	3000	2200	1900	1400	1000	750	600	450	300	200
(mm)	13	29	45	85	100	126	147	188	213	278








BS 5276


截面 Section:Square520x760mm	斜管 Inelined tube: 30x2.0mm
主管 Main tube:50x4.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m	20m	22m
(kg/m)	110	670	550	300	220	170	130	94	67	50	36
(mm)	4	12	25	61	81	105	131	151	192	235	295
(kg)	3200	2400	2000	1600	1100	800	700	600	500	300	200
(mm)	9	22	37	86	100	123	163	175	200	253	323










BS 6076

截面 Section:Square600x760mm	斜管 Inelined tube: 30x2.0mm
主管 Main tube:50x4.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6


跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m	22m	24m
(kg/m)	1200	720	600	350	240	167	128	100	78	45	33
(mm)	3	14	37	62	84	105	138	175	211	302	340
(kg)	3600	2600	2100	1800	1400	1200	1000	800	600	300	200
(mm)	8	21	47	81	100	126	157	188	233	358	282

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ROOF DETAIL
屋顶细节



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！




CL30C90	CL30C45	CL30	CT30C90
CT30-3W-1	CT30-3W	CT30-30T-1	CT30-CROSS
CS30C135	CS30C45	CS30-520	CS30BOX

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


BT30C90-L	BS20C90	BS30-3W	BS30-T
BS40-CROSS	BS20BOX-1	BS30BOX-1	BS30BOX-2
	BS30A-CORNER1	BS30A-BOX	






When the high of truss tower is over 6m, this tower crane will be helpful;
It can be lifted by motor or manual winch.
当桁架立柱高于6米时，您可以选择使用辅助塔吊；
它可采用电动葫芦或者手摇绞盘进行提升。

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



BT1
Sleeve block
方套

Tower for endplate truss
螺丝塔吊




BT3
Sleeve block
方套


Tower for spigot truss
插销式塔吊




ST5
Tower for spigot truss
插销式塔吊



BS5060(BS40)-S
Sleeve Block
螺丝方套



CS5276(CS40) -S
Sleeve Block
插销方套



CS5060(CS35)-S
Sleeve Block
插销方套



Aluminum base
铝底板



Aluminum base
铝底板

TOWER
塔吊

T1
Manual Hoist
手拉葫芦



T2
Electric Motor
国产电动葫芦



T3
Motor Controller
电动葫芦控制器



T4
Fibre Sling
飞机带




T5
Top Section
横担



T9

T6
Electric Top Section
电动葫芦横担



ST1

T7
Steel Base
铁底座



ST2

T8
Aluminum Base
铝底座




ST3


T9
Long Outrigger
斜撑



ST1
Sleeve Block
插销方套




ST2
Sleeve Block
插销方套



ST3
Sleeve Block
插销方套



BT1
Sleeve Block
螺丝方套



BT2
Sleeve Block
螺丝方套



ST4
Hinge Section(Spigot truss)
插销架反头



BT4
Hinge Section (Bolt truss)
螺丝架反头





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

C01 	C02 	C03 	C04 	C05 
C06 	C07 	C08 	C09 	C10 
C11 	C12 	C13 	C14 	C15 
C16 	C17 	C18 	C19 	C20 
C21 	C22 	C23 	C24 	C25 
C26 	C27 	C28 	C29 	C30 
C31 	C32 	C33 	C34 	C35 
C36 	C37 	C38 	C39 	C40 
C41	C42	C43	C44	C45

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


Model 型号	MS1A MS1B
Specification 规格	A:1220mmx1220mm(4ftx4ft) B:1220mmx2440mm(4ftx8ft)
Height 高度	A:0.4-0.8m(1.31-2.62ft) C:0.8-1.4m(3.28-4.59ft) E:1.6-2m(5.25-6.56ft) B:0.6-1m(1.97-3.28ft) D:1-1.4m(3.28-4.59ft)
Load capacity 承重	750kg/m² 750公斤/平方米
Material 材料	Aluminium 铝合金材质
Characteristics 特点	Easy to set up and disassemble, beautiful appearance 搭建拆卸简单快捷，外观美观





Stage Baluster
舞台护栏





The available stage topping
可供选择的面板

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

MSA1





MSA2



MSA3

Model 型号	MS2A MS2B MS2C
Specification 规格	L:2000mm W:1000mm 长:2000 mm (L:6.6ft W: 3.3ft) 宽:1000 mm
Height 高度	0.2-0.3m/0.4-0.6m/0.6-1m (0.7-1.0ft/1.3-2.0ft/2.0-3.3ft)
Load capacity 承重	600kg/sqm(122.89lb/sqft) 600公斤/平方米
Material 材料	Plywood 18mm thickness 18mm厚防滑木板
Characteristics 特点	Aluminium 铝合金材质

MS2B





MS2C



H:0.41m



H:0.61m

MS 4
Aluminum folding stage
铝合金折叠舞台

Model 型号	MS4
Specification 规格	A:1220x2440mm(8ftx4ft) B:1830x2440mm(8ftx6ft)
Height 高度	A:410-610mm B:610-810mm
Load capacity 承重	500kg/m²
Material 材料	Aluminum 铝合金材质
Characteristics 特点	It can be foldable, and easy to transport and be storage 可折叠，方便运输、储存



Foldable
折叠后效果





MS3A



MS3B

Iron stage 铁舞台

Model 型号	MS3A MS3B
Specification 规格	A:1220mmx1220mm(4ftx4ft) B:1220mmx2440mm(4ftx8ft)
Height 高度	A:0.6–1m(1.97–3.28ft) B:1.6–2m(5.25–6.56ft)
Load capacity 承重	750kg/m 750公斤/平方米
Material 材料	Iron in hot ganavazation; Layer Design+Aluminium topping frame 铁质带热镀锌；雷亚架结构+铝合金舞台框
Characteristics 特点	It is simple in design, flexible in construction, economical and firm. It is suitable for indoor and outdoor large and small performances. 它设计构造简单,灵活搭建,造价经济,牢固.适合室内外大小型演出

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

MSA4



Baluster Brace 舞台护栏

MSA5



Baluster Pillar 护栏立柱

MSA6



Adjustable Stage Stair
可调节楼梯

MSA7



Fixed Stage Stair
固定式楼梯

MSA91
Stage Toppings Trolley
舞台板运输车



Holds 20pcs x 1.22*2.44m stage toppings.
可放置20张1.22*2.44米舞台板

MSA92
All-staging trolley
一体式舞台运输车



Holds one set of 7.32*4.88m stage
可放置一套7.32*4.88m舞台所有部件

MSA8 Ramp 斜道










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CP1





CP2



CP 3
Aluminum Seating System
铝合金式看台





CP 4
Steel Seating System
铁质看台



CROWED BARRICADE
防爆栏

B1
Barricade
防爆栏





B2
Door Barricade
防爆栏

BC1
Barricade Cart
防爆栏运输车

B3
90°-270°Barricade
90°-270°防爆栏

Cable Board
线　槽


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

H TRUSS
H 架




HT1
H Truss
H架

Braces
单片
HT2-L:2m/H:1m(6.6x3.3ft)



Long Outrigger
斜撑
SD10




Horizontal Pipe
横拉杆
SD2-2m(6.6ft)



Adjustable Base
可调节底座
LR4



Caster and Adjustable Leg
脚轮和可调节脚
SD3-adjustable leg
SD3-5
SD3-6
SD3-8








If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！












If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

LAYER TRUSS
网架

- Layer truss consist of pillar,horizontal pipe,diagonal pipe,adjustable base and joint pipe.
- Simple construction,user-friendly,durable and cost-saving
- Surface process:hot zinc galvanization or cold zinc galvanization.
- Suitable for big outdoor shows and events.

- 网架由立柱，水平拉杆，斜拉杆，可调节底座，底托五个部分组成；
- 构造简单，使用灵活，牢固可靠，经济实惠；
- 热镀锌或冷镀锌两种表面处理可供客户选择；
- 适合大型户外演出活动。

LRT2
Layer Truss
网架





Pillar 立柱
LR1-2m(6.6ft)



Diagonal Pipe 斜拉杆
LR3-2.44m(8.0ft)



Horizontal Pipe 水平拉杆
LR2-2m(6.6ft)



Adjustable Base
LR4 可调节底座



Joint Pipe
LR5 底托



Disk
LR6 圆盘




Clip Lock
LR7 锁头插销





Straight Lock
LR8 直锁头




Oblique Lock
LR9 斜锁头









If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！





A1
Elevator Tower
升降架

Specification 规格

Load Capacity 承 重	Max Height 最大高度
200kg(440.9lb)	6m(19.7ft)
250kg(551.2lb)	6.5m(21.3ft)



A2
Stand
轻型手摇架(带手摇绞盘)

Load:50kg(110lb)
adjustable high:1.6-4m
(5.2-13.1ft)
with manual winch


承重：50公斤
调节高度：1.6–4米



A3
Stand
轻型手摇架

Load:50kg(110lb)
adjustable high:1.6-3m
(5.2-9.8ft)
without manual winch

承重：50公斤
调节高度：1.6–3米



A4
Stand




A5
Stand






Model 型号	A6 rotating light truss 小型旋转灯架
Circle Diameter 圆架直径	1m/1.2m/1.5m/1.8m
Voltage 电压	AC100V–240V/50–60HZ
QTY for lightings 可挂灯数量	6/8/12 pcs
Control Way 控制方式	DMX 512
QTY for Channels 通道数量	Circle=1 CH, 1 lighting=1 CH 旋转灯架=1个通道，1个灯=1个通道
Load capacity 承重	300kg
Rotating speed 转动速度	3–10sec/round 每圈3–10秒
Features 特点	Small, Practical,light self–weight(Aluminium),easy to set up. 精巧实用，自身重量轻（铝合金材质），易于安装。
Application 应用场地	TV station, night club, outdoor event, exhibtition show. 电视台，酒吧，室外演出，展览展示

Lighting Frame
挂灯组合片



Lighgting Arms
挂灯杆





A7
Reception
前台



A8
Bar Chair
吧凳



A9
Rostrum
演讲台



A10
Truss lighting cloth
桁架灯光布

FLIGHT CASE
航空箱



E2

MIC Case
麦克风箱



E3

Cable Case
线箱



E4

Audio Case
音响箱



E6

Cable Case
线箱



E7

Search Lighting Case
追光灯箱



R16U

16U Rack
16U机箱



E15

16U Rack With Mixer
16U调音箱组合机箱



A12U

12U Antishock Rack
12U防震机箱



A16U

16U Antishock Rack
16U防震机箱

Standard Rack Size(Except for wheels height) 标准机箱尺寸（不含脚轮高度）				
Item NO 编号	Description of Goods 名称	External Dimension 外尺寸		
		Width 宽	Depth 深	Height 高
R2U	2U rack 2U机箱	530mm	680mm	120mm
R4U	4U rack 4U机箱	530mm	680mm	210mm
R6U	6U rack 6U机箱	530mm	680mm	300mm
R8U	8U rack 8U机箱	530mm	680mm	390mm
R10U	10U rack 10U机箱	530mm	680mm	480mm
R12U	12U rack 12U机箱	530mm	680mm	570mm
R14U	14U rack 14U机箱	530mm	680mm	660mm
R16U	16U rack 16U机箱	530mm	680mm	750mm
R18U	18U rack 18U机箱	530mm	680mm	840mm
R20U	20U rack 20U机箱	530mm	680mm	930mm
R22U	22U rack 22U机箱	530mm	680mm	1020mm

Antishock Rack Size(Except for Wheels Height) 防震机箱尺寸（不含脚轮高度）				
Item NO 编号	Description of Goods 名称	External Dimension 外尺寸		
		Width 宽	Depth 深	Height 高
R2U	2U antishock rack 2U防震机箱	610mm	680mm	200mm
R4U	4U antishock rack 4U防震机箱	610mm	680mm	290mm
R6U	6U antishock rack 6U防震机箱	610mm	680mm	380mm
R8U	8U antishock rack 8U防震机箱	610mm	680mm	470mm
R10U	10U antishock rack 10U防震机箱	610mm	680mm	560mm
R12U	12U antishock rack 12U防震机箱	610mm	680mm	650mm
R14U	14U antishock rack 14U防震机箱	610mm	680mm	740mm
R16U	16U antishock rack 16U防震机箱	610mm	680mm	830mm
R18U	18U antishock rack 18U防震机箱	610mm	680mm	920mm
R20U	20U antishock rack 20U防震机箱	610mm	680mm	1010mm
R22U	22U antishock rack 22U防震机箱	610mm	680mm	1100mm

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CASE ACCESSORIES
航空箱配件



S1
6Holes Corner
6孔直包角



S2
8Holes Corner
8孔直包角



S3
Combined Ball Corner
连体球包



S4
Ball Corner
原包角



S5
Recessed Lid Stay
背撑



S6
Spring Handle
无壳提手



S7
Rubber Handle
胶提手



S8
Spring Handle
提手



S9
3"Wheels
3寸脚轮



S10
4"Wheels
4寸脚轮



S11
Rack Rail With Square Holes
U形铁



S12
Case Lid Stay
折叠支架



S13
Wheel Socket
轮窝



S14
Hinge
合页



S15
Hook Over Hinge
勾式合页



S16
Laminated Plywood
防火饰面板



S17
Small Lock
小锁



S18
Medium Lock
中锁



S19
Large Lock
大锁



S20
Ventilated Dish
散热窗



S21
Pearl Foam
珍珠棉



S22
Hard Foam
胶棉




S23
Wave Foam
波浪棉



S24
Rubber Feet
胶角



S25
Aluminium Hybrid
凹凸铝



S26
Aluminium Angle
直角铝



S27
Duty Aluminium Angle
双边角铝



S28
Extendable Stay
伸缩支架

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！